

ROSTA INSIDE RECYCLING


Solutions for Increased Productivity & Output




THE CORE OF OUR EXCELLENCE

One Smart Concept, Endless Applications

It all started in 1944 with a clever invention. Today, ROSTA is the world's leading manufacturer when it comes to rubber spring, tensioning and damping solutions.



The ROSTA Element, an elastomer powered torsional spring, is central to our range of specialised machine components designed to provide a combination of useful functions.



WHY WORK WITH ROSTA

Efficiency & Productivity

- Increased Productivity
- Smooth Operations
- Quality Materials

Lower Total Costs

- Longer Service Life
- Maintenance-Free Operation
- Simple, Durable & Noiseless



**CUSTOMER
VALUE-ADD**

Service & Aftersales

- Global Presence
- 24/7 Support
- High Stock Level

Flexibility & Customization

- Control Linear & Rotary Motion
- Torsional Elastomer Spring Solutions
- Customized Engineered Solutions
- Digital Services and Engineering

Swiss made 

Just trust Swiss excellence in engineering. Because your success is our ultimate goal. **Feel free to talk to us!**




ROSTA INSIDE RECYCLING

At ROSTA, we have developed a tailored process flow that reflects our expertise and understanding of the recycling industry. It is a complex industry where both open-loop and closed-loop processes are of great importance.

- Open-loop is converting manufactured goods into new raw materials and waste products
→ delaying disposal
- Closed-loop is recycling of manufactured goods back into itself or a similar product
→ no significant degradation or waste

Our ROSTA solutions play significant role in optimizing the productivity of machines within these recycling processes. Our components not only increase output, but they also help to conserve resources. Be smart put ROSTA INSIDE!



CUSTOMER BENEFITS



Reduction of
Noise & Vibration



Lower Total Cost
of Ownership



Long Life Cycle



Maintenance Free



Safe for User



Tearproof

BELT CONVEYORS 4

- Belt Scrapers
- Belt Drives
- Chain Drives
- Impact Tables

FREE OSCILLATING SYSTEMS 8

- Feeders
- Screens (Linear & Circular)
- Spiral Conveyors
- Hanging Systems
- Mobile Screens

CRUSHERS & SHREDDERS 6


- Belt Transmissions
- Shock Absorbers

GUIDED SYSTEMS 12

- One Mass Shaker Systems
- One Mass Shaker
“Natural Frequency” Systems
- Two Mass Shaker Systems

SEPARATORS 14

- Gyrotory Sifters
- Flip Flows
- Ballistic Separators
- Densimetric Tables



ROSTA INSIDE

BELT CONVEYORS

Belt conveyors play a crucial role in any recycling process because they enable the transportation of large quantities and heavy loads of waste products from the loading dock to the sorting line, up to the crushing area. **ROSTA supports running the conveyor smoothly and consistently, no matter what type you are using. Our components simplify and optimize the transport of recycling materials on the belt. This minimizes damage to the conveyor and improves output.**

CUSTOMER BENEFITS



Maintenance Free



Safe for User



Reduction of
Noise & Vibration



Long Life Cycle

BELT SCRAPERS



Dynamic Tensioner Devices: **SE Tensioners**



- Continuous / even belt surface engagement
- Automatically compensates for belt and blade wear
- Dampens shocks and overloads

Rubber Suspension Units: **DR / DK**




- Without lever arm – enables ROSTA technology to be adapted to the machine (or customer) design
- Continuous / even belt surface engagement
- Automatically compensates for belt and blade wear
- Dampens shocks and overloads

BELT DRIVES




Dynamic Tensioner Devices: **MB Motorbase**



- Fast and safe belt change, no realignment required
- Compensation of high start-up torque
- Constant transmission
- Better drive performance
- Energy cost savings
- Also available in ATEX specifications

CHAIN DRIVES



Dynamic Tensioner Devices: **SE Tensioners**



- Self-adjusting drive tensioner – set it and forget it!
- Increased drive performance
- Reduces wear and tear on ancillary drive components

IMPACT TABLES



Anti-Vibration Mounts: **ESL**



- Low frequencies and a high damping effect
- Good isolation of impacts and vibrations (High absorption of reactive forces)
- Suspensions of transfer cradles offering conveyor belt protection
- Absorbing solid-borne noise

ROSTA INSIDE

CRUSHERS & SHREDDERS

Only with their enormous forces can the most diverse materials be broken down into parts for further processing. **ROSTA components help to reduce maintenance time and minimize excessive vibrations and shocks.**

CUSTOMER BENEFITS



Maintenance Free



Long Life Cycle
(MTBF)



Reduction of
Noise & Vibration



Lower Total Cost
of Ownership

BELT TRANSMISSIONS




Dynamic Tensioner Devices: **MB Motorbase**



- Fast and safe belt change, no realignment required
- Compensation of high start-up torque
- Constant transmission
- Better drive performance
- Energy cost savings
- Also available with ATEX specifications



SCHOCK ABSORBERS



Anti-Vibration Mounts: ESL & V



- Low frequencies and a high damping effect
- Good isolation of impacts and vibrations
(High absorption of reactive forces)
- Absorbing solid-borne noise

FREE OSCILLATING SYSTEMS

Free oscillating systems include screening machines, vibrating feeders and shaking conveyors which require reliable, high-performance suspension components. ROSTA offers a wide range of oscillating mountings for these types of machinery. **ROSTA's range of OSCILLATING MOUNTINGS provide dependably reliable performance and durability with zero-maintenance to provide best-in-class levels of isolation and efficiency for all free oscillating vibrating systems.**

CUSTOMER BENEFITS



Maintenance Free



Reduction of
Noise & Vibration





Safe for User




Long Life Cycle

FEEDERS




Oscillating Mountings:
AB / AB-HD / AB-D / AB-LF (Pat. Pending)




- High oscillation performance (screen side)
- Effective isolation (frame side up to 98%)
- No lateral tumbling
- Shortens the run-out phase considerably
- Overload/impact proof
- No "anti-pinch protection" required
- Long service life



CIRCULAR & LINEAR SCREENS



Oscillating Mountings:
AB / AB-HD / AB-D* / AB-LF (Pat. Pending)
 For circular and linear motion screens including heavy duty loading and systems with counter frame mounting



- High oscillation performance (screen side)
- Effective isolation (frame side up to 98%)
- No lateral tumbling
- Shortens the run-out phase considerably
- Overload/impact proof
- No “anti-pinch protection” required
- Long service life

AB-HD: Similar benefits as AB, with heavy duty capacities. AB-D: Similar benefits as AB, for classic frame and counter frame mounting systems

* Linear screens only



SPIRAL CONVEYORS

Oscillating Mountings: **AB-D** – for spiral conveyors




- High isolation effect
- Oscillations to the highest spiral guaranteed
- Compact design
- Stable spiral tower
- No additional fall-prevention devices needed
- Smaller number of suspensions required versus other solutions




HANGING SYSTEMS



Oscillating Mountings: **HS / HSI**



- Designed for hanging loads
- No safety risks
- High oscillation performance (screen side)
- Effective isolation (frame side up to 98%)
- No lateral tumbling
- Shortened the run-out phase considerably
- Overload/impact proof
- No “anti-pinch protection” required
- Long service life



MOBILE SCREENS

Mobile screens are designed for rubble and debris screening of material coming from construction and demolition, excavations waste, compost, asphalt, rocks, etc.


They are usually equipped with a vibrating deck fitted on suspensions. They operate in the most difficult access areas and have the advantage of being able to be moved quickly from one work site to another.



Oscillating Mountings: AB / AB-D / AB-HD for mobile applications



- Strong linear motion
- Controlled oscillating motion
- No violent shaking at start up & shut down
- Long service life
- Good corrosion resistance
- No shear breakage
- Anti-tear and safety
- No additional equipment required for transport



GUIDED SYSTEMS

Oscillating shaker conveyors with crank shaft drives are widely used for the transportation and selection of materials such as copper, electronic scrap and plastics. There are one mass shaker conveyor systems or so-called brute force shaker conveyors, one mass shaker conveyor systems equipped with spring accumulators and two mass shaker conveyor systems with direct reaction force-compensation. All those shaker designs require special springs and rockers. **ROSTA has them all. From single rockers to double rockers including the elements for spring accumulation and drive heads.**

CUSTOMER BENEFITS



Maintenance Free



Long Life Cycle
(MTBF)



Reduction of
Noise & Vibration



Lower Total Cost
of Ownership

ONE MASS SHAKER SYSTEMS




Oscillating Mountings: AU – Single Rocker

- Excellent trough guidance
- Smooth and long stroke motions
- Conveying speed up to 15 m/min
- Trough lengths up to 15 meters



Oscillating Mountings: ST – Drive Head

- Elastic drive head
- Damping dead centers
- For alternating loads
- For crank shaft driven shakers conveyors



ONE MASS SHAKER “NATURAL FREQUENCY” SYSTEMS




Oscillating Mountings: **AU – Single Rocker** **DO-A – Spring Accumulator**



- For actuation close by resonance frequency (natural frequency systems)
- Compensate the hard hits of crank shaft drive (dead center)
- High dynamic stiffness: heavily supporting the eccentric trough motion
- Conveying speed up to 22 m/min
- Trough lengths up to 20 meters

TWO MASS SHAKER SYSTEMS



Oscillating Mountings: **AD-P / AD-C – Double Rocker**



- Excellent trough guidance
- Smooth and long stroke motions
- Damping dead centers
- Acceleration up to 5.0 g
- Conveying speed up to 45m/min
- Trough lengths up to 30 meters

ROSTA INSIDE

SEPARATORS

Good quality recycling depends on reliable sorting machines. Separators used in this process need to operate at optimum capacity to ensure that the recycled yield is free of contaminants. ROSTA components not only help to reduce maintenance costs but also to reduce excessive vibrations and friction.

CUSTOMER BENEFITS



Maintenance Free



Long Life Cycle
(MTBF)



Reduction of
Noise & Vibration



Lower Total Cost
of Ownership

GYRATORY SIFTERS



Oscillating Mountings:
AK – universal joint for
support or suspension




- High load capacity (up to 40'000 N)
- For hanging and staying applications
- Smooth guidance and noise reduction
- Long life
- Maintenance free





Oscillating Mountings: DO-C – Single Rocker



- Efficient spring accumulators
- Highest flow capacity
- Facilitate long stroke motions

Oscillating Mountings: AB-D – for linear motion screens



- Purely linear motion – no lateral tumbling
- Allows more efficiency
- shortened the run-out phase considerably
- Absorbing efficiently solid-borne noise and dynamic forces
- Overload/impact proof

BALLISTIC SEPARATORS





Rubber Suspensions:

DR – Steel Tube

DK – Aluminum Profile

- Elastic bushing with high damping effect
- Energy and solid-borne noise absorbing
- Perfect guidance
- Protects the interfaces (screws, rods, shafts, frame)





Oscillating Mountings: AD-P – Double Rocker

- Excellent trough guidance
- Smooth and long stroke motions
- Damping dead centers
- Reduced number of rocker arms
- Long life solution




OUR PORTFOLIO



MOTORBASES


Self-tensioning motor mounts
for all friction belt drives



MB 38



MB 50



MB 75



MB 100



TENSIONER DEVICES

Tensioner systems for
belt and chain drives



SE



SE-B



SE-I



CR-P



R-RL



WS



SW-N



OSCILLATING MOUNTINGS

Elastic suspensions for
screening and conveying



AB/AB-HD



AB-D



AB-LF



HS



AU



DO



AR



AS-C/P



AD-C/P



AV



AK



ST



Can't find what you need in the catalog?

Our engineering team specializes in developing tailored solutions to meet your requirements.



VIBRATION DAMPERS

Components for shock and vibration absorbing



ESL



V



AWI



NE



N



NOX



RUBBER SUSPENSION ELEMENTS

Multifunctional and adaptable suspension elements



DR



DW



DO




DK



BR/BK



WS



ROSTA DIGITAL

Industry 4.0
Monitoring your process and reduce downtimes



SENSORICS



DASHBOARD



DATA ANALYST



TENSIONING

DAMPENING

CONVEYING

PRESSING

GUIDING

ROSTA SUPERIOR SWISS QUALITY AT A GLANCE

ESTABLISHED HERITAGE: Founded in Switzerland in 1944, our roots embody a legacy of superior quality and precision that is recognized worldwide.


IMPRESSIVE SALES VOLUME: Our commitment to quality and reliability, across all our core markets, has resulted in an impressive annual sales volume of over 1.5 million units.

QUALITY ASSURANCE: Our commitment to quality is reinforced by rigorous in-house quality processes and our ISO certification, ensuring our products meet the highest standards.

CUSTOMIZED SOLUTIONS: We are known for developing tailored solutions to meet the specific needs of our clients, setting us apart in our markets.



GLOBAL FOOTPRINT: Our strategic worldwide presence allows us to spread our Swiss quality on a global scale.



EXTENSIVE DISTRIBUTION NETWORK: We ensure our industry-specific products reach a wide array of customers through our robust distribution network, extending across over 40 countries.



IN-HOUSE PRODUCTION: With most of our production taking place in Switzerland, we maintain full control over the quality and efficiency of our manufacturing process.



UNPARALLELED CUSTOMER SUPPORT: Our global presence is strengthened by personalized customer support, offering assistance and guidance to customers across all five continents.



CORE MARKETS: Specializing in five core markets – recycling, mining, agriculture, food & beverage, and eMobility – our expertise also extends to various other markets, enabling us to serve a wide range of customer needs effectively.



COLLABORATIVE INNOVATION AT OUR CORE: Our R&D department works closely with application engineers, fostering a culture of innovative and customized solutions, continuously evolving to meet market trends and demands.

Our Australian Locations

ABN 63 006 100 045

NEW SOUTH WALES

ALBURY

443 Townsend Street
Albury, NSW 2640
P: (02) 6041 1744 | F: (02) 6041 3117
au-albury@appliedau.com

BATHURST

Unit 2/5 Watt Drive
Bathurst, NSW 27 95
P: (02) 6332 2443 | F: (02) 6332 2941
au-bathurst@appliedau.com

DUBBO

Unit 5, 46-50 Bourke Street
Dubbo, NSW 2830
P: (02) 6882 5799 | F: (02) 6884 1764
au-dubbo@appliedau.com

MINTO

Unit 3, 109 Airds Road
Minto, NSW 2566
P: (02) 9820 1088 | F: (02) 9820 2999
au-minto@appliedau.com

PENRITH

Unit 7, 115 Batt Street
Penrith, NSW 2750
P: (02) 4731 3268 | F: (02) 4731 3142
au-penrith@appliedau.com

SANDGATE

Unit 1, 4 Friesian Close
Sandgate, NSW 2304
P: (02) 4960 9222 | F: (02) 4960 9299
au-newcastle@appliedau.com

WETHERILL PARK

Unit 1, 1 Widemere Road
Wetherill Park, NSW 2164
P: (02) 9725 9200 | F: (02) 9725 9212
au-wetherillpark@appliedau.com

QUEENSLAND

ARCHERFIELD

282 Beatty Road
Archerfield, QLD 4108
P: (07) 3853 1900 | F: (07) 3853 1977
au-archerfield@appliedau.com

CAIRNS

117 Lyons Street
Cairns, QLD 4870
P: (07) 4040 9000 | F: (07) 4040 9010
au-cairns@appliedau.com

GEEBUNG

Unit 1, 473-475 Newman Road
Geebung, QLD 4034
P: (07) 3265 6966 | F: (07) 3865 1406
au-geebung@appliedau.com

GLADSTONE

68 Hanson Road
Gladstone, QLD 4680
P: (07) 4972 6255 | F: (07) 4972 2343
au-gladstone@appliedau.com

MACKAY

9 Progress Drive, Paget
Mackay, QLD 4740
P: (07) 4952 4833 | F: (07) 4957 4861
au-mackay@appliedau.com

MT ISA

26 Marian Street
Mt Isa, QLD 4825
P: (07) 4743 1908 | F: (07) 4743 1918
au-mtisa@appliedau.com

TOOWOOMBA

343 Taylor Street
Toowoomba, QLD 4350
P: (07) 4634 9140 | F: (07) 4634 9408
au-toowoomba@appliedau.com

TOWNSVILLE

70 Pilkington Street
Townsville, QLD 4810
P: (07) 4779 3699 | F: (07) 4725 1428
au-townsville@appliedau.com

SOUTH AUSTRALIA

WINGFIELD

Unit 1 & 2, 7-9 Streiff Road
Wingfield, SA 5013
P: (08) 8360 1500 | F: (08) 8260 3377
au-wingfield@appliedau.com

VICTORIA

BROOKLYN

755 Geelong Road
Brooklyn, VIC 3012
P: (03) 9318 0699 | F: (03) 9318 0733
au-brooklyn@appliedau.com

CAMPBELLFIELD

Unit 5, 2122 Hume Highway
Campbellfield, VIC 3061
P: (03) 9308 5144 | F: (03) 9308 5046
au-campbellfield@appliedau.com

DANDENONG

Unit 3A/13 Abbots Road
Dandenong South, VIC 3175
P: (03) 9794 8477 | F: (03) 9706 7385
au-dandenong@appliedau.com

HEAD OFFICE

22 Stamford Road
Oakleigh, VIC 3166
P: (03) 9567 8700 | F: (03) 9567 8733

NORTHERN TERRITORY

BERRIMAH

Applied Fluid Systems & Branch
101 Pruen Road
Berrimah, NT 0828
P: (08) 8947 1855 | F: (08) 8947 0403
au-berrimah@appliedau.com

WESTERN AUSTRALIA

ALBANY

Great Southern Bearings
38 Newbey Street
Albany, WA 6330
P: (08) 9842 1000 | F: (08) 9842 1122
au-albany@appliedau.com

NORTHAM

Northam Bearing Sales
100 Old York Road
Northam, WA 6401
P: (08) 9622 2922 | F: (08) 9622 5331
au-northam@appliedau.com

WELSHPOOL

272 Welshpool Road
Welshpool, WA 6106
P: (08) 9470 7600 | F: (08) 9356 7574
au-welshpool@appliedau.com

WEST KALGOORLIE

19 Darcy Lane
West Kalgoorlie, WA 6430
P: (08) 9091 4277 | F: (08) 9091 4267
au-kalgoorlie@appliedau.com



**SCAN THE QR CODE
& CONNECT WITH US**

CONTACT AN APPLIED®
REPRESENTATIVE TODAY!

 **BECOME A FAN**

 **FOLLOW US**

 **SHOP ONLINE**

 **JOIN OUR NETWORK**

Our New Zealand Locations

CN 1819

BRANCHES

AUCKLAND

Head Office & Branch
67 Lady Ruby Drive, East Tamaki,
Auckland 2013
P: (09) 274 0056
nz-auckland@appliednz.com

CHRISTCHURCH

Unit 8, 303 Blenheim Road
Upper Riccarton, Christchurch
8041 Auckland 2013
P: (03) 341 6537
nz-christchurch@appliednz.com

LOWER HUTT

22 Waione Street, Lower Hutt,
Wellington 5012
P: (04) 569 3159
nz-wellington@appliednz.com

NEW PLYMOUTH

Unit 1, 37 Hurlstone Drive
Waiwhakaiho, New Plymouth 4312
P: (06) 769 5152
nz-newplymouth@appliednz.com

DUNEDIN

4-6 McBride Street, Dunedin 9012
P: (03) 455 5652
nz-dunedin@appliednz.com

PALMERSTON NORTH

601D Tremaine Avenue
Palmerston North 4410
P: (06) 356 9145
nz-palmerstonnorth@appliednz.com

HASTINGS

1206 Omahu Road, Hastings 4175
P: (06) 879 4362
nz-hastings@appliednz.com

ROTORUA

45 White Street, Fenton Park,
Rotorua 3010
P: (07) 349 2451
nz-rotorua@appliednz.com



**SCAN THE QR CODE
& CONNECT WITH US**

CONTACT AN APPLIED®
REPRESENTATIVE TODAY!



BECOME A FAN



FOLLOW US



SHOP ONLINE



JOIN OUR NETWORK